

Freeform Search

Database:	<div style="background-color: black; color: white; padding: 2px;">US Pre-Grant Publication Full-Text Database</div> <div style="background-color: black; color: white; padding: 2px;">US Patents Full-Text Database</div> <div style="background-color: white; color: black; padding: 2px;">US OCR Full-Text Database</div> <div style="background-color: black; color: white; padding: 2px;">EPO Abstracts Database</div> <div style="background-color: black; color: white; padding: 2px;">JPO Abstracts Database</div> <div style="background-color: black; color: white; padding: 2px;">Derwent World Patents Index</div> <div style="background-color: black; color: white; padding: 2px;">IBM Technical Disclosure Bulletins</div>
Term:	(first adj2 bus) same l69 same (partition or portion or region or section or bank) same (memory or cache)
Display:	<input style="width: 40px; text-align: center;" type="text" value="10"/> Documents in Display Format: <input style="width: 40px; text-align: center;" type="text" value="-"/> Starting with Number <input style="width: 40px; text-align: center;" type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Sunday, April 08, 2007
 [Purge Queries](#)
 [Printable Copy](#)
 [Create Case](#)


<u>Set</u> <u>Name</u> <u>Query</u> side by side	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<u>L70</u> (first adj2 bus) same l69 same (partition or portion or region or section or bank) same (memory or cache)	1	<u>L70</u>
<u>L69</u> (exclusive or dedicated or private) adj3 (access or accessing)	11135	<u>L69</u>
<u>L68</u> L67 and l66	4	<u>L68</u>
<u>L67</u> (exclusive or dedicated or private) same (access or accessing)	82346	<u>L67</u>
<u>L66</u> (common or shared) adj2 l37	30	<u>L66</u>
<u>L65</u> L64 and l38 and l63	71	<u>L65</u>
<u>L64</u> l37 or l41	2639	<u>L64</u>
<u>L63</u> (dedicated or exclusive or private or (non adj2(shared or common))) adj4 (region or portion or section or partition or bank or access or accessing)	25831	<u>L63</u>
<u>L62</u> l41 and l56	50	<u>L62</u>
<u>L61</u> L59 same l58 and l37	0	<u>L61</u>
<u>L60</u> L59 same l58	54	<u>L60</u>
<u>L59</u> l25 adj5 processor adj5 (memory or cache)	135	<u>L59</u>
<u>L58</u> l24 adj5 processor adj5 (memory or cache)	234	<u>L58</u>

<u>L57</u>	L56 same l37 same (processor or agent)	24	<u>L57</u>
<u>L56</u>	(parallel or simultaneous or concurrent) adj5 (access or accessing) adj5 (memory or cache)	3227	<u>L56</u>
<u>L55</u>	l37 same l26 same l27	13	<u>L55</u>
<u>L54</u>	l48 same (workload) same (processor or agent or cpu)	65	<u>L54</u>
<u>L53</u>	l52 and l51	15	<u>L53</u>
<u>L52</u>	l37 and l46	121	<u>L52</u>
<u>L51</u>	l37 and l45	64	<u>L51</u>
<u>L50</u>	L48 same l37	43	<u>L50</u>
<u>L49</u>	L48 and l37	296	<u>L49</u>
<u>L48</u>	(partition or partitioning or allocate or allocation or allocating or divide or dividing) adj4 (memory or cache)	33468	<u>L48</u>
<u>L47</u>	l37 same l32	124	<u>L47</u>
<u>L46</u>	(shared or common) adj4 (region or portion or section or partition or bank)	67718	<u>L46</u>
<u>L45</u>	(dedicated or exclusive or private or (non adj2(shared or common))) adj4 (region or portion or section or partition or bank)	13199	<u>L45</u>
<u>L44</u>	l37 and l12 and l13	2	<u>L44</u>
<u>L43</u>	l41 and l12 and l13	1	<u>L43</u>
<u>L42</u>	L41 and l39	0	<u>L42</u>
<u>L41</u>	711/149.ccls.	393	<u>L41</u>
<u>L40</u>	L39 and l37	0	<u>L40</u>
<u>L39</u>	l32 same l12 same l13	71	<u>L39</u>
<u>L38</u>	((multi adj2 processor) or (multiple adj2 (processor or agent)))	46597	<u>L38</u>
<u>L37</u>	((multi adj2 port) or (multiple adj2 port)) adj5 (memory or cache)	2339	<u>L37</u>
<u>L36</u>	L35 and l34	5	<u>L36</u>
<u>L35</u>	l25 same l13	8	<u>L35</u>
<u>L34</u>	l24 same l13	9	<u>L34</u>
<u>L33</u>	L32 and l30	8	<u>L33</u>
<u>L32</u>	(partition or partitioning or allocate or allocation or allocating or divide or dividing) same (memory or cache)	105982	<u>L32</u>
<u>L31</u>	partition	361687	<u>L31</u>
<u>L30</u>	L27 and l26 and l25 and l24 and l29	12	<u>L30</u>
<u>L29</u>	l13 same (memory or cache)	2244	<u>L29</u>
<u>L28</u>	L27 and l26 and l25 and l24 and l13	25	<u>L28</u>
<u>L27</u>	second adj2 (processor or agent)	40103	<u>L27</u>
<u>L26</u>	first adj2 (processor or agent)	38258	<u>L26</u>
<u>L25</u>	second adj2 bus	19990	<u>L25</u>
<u>L24</u>	first adj2 bus	19804	<u>L24</u>
<u>L23</u>	6965974.pn.	2	<u>L23</u>
<u>L22</u>	L21 and l20	4	<u>L22</u>
<u>L21</u>	bus same processor same l18	4	<u>L21</u>
<u>L20</u>	bus same processor same l17	4	<u>L20</u>

<u>L19</u>	(first adj2 bus) same processor same l17	0	<u>L19</u>
<u>L18</u>	second adj2 l13	164	<u>L18</u>
<u>L17</u>	first adj2 l13	173	<u>L17</u>
<u>L16</u>	l14 same l13 same l12	12	<u>L16</u>
<u>L15</u>	l14 and l13 and l12	233	<u>L15</u>
<u>L14</u>	(dynamically or (on adj2 fly)) same (changing or altering or alter or change or partition or partitioning or allocate or allocation or allocating or divide or dividing)	61847	<u>L14</u>
<u>L13</u>	(dedicated or exclusive or private or (non adj2(shared or common))) adj4 (region or portion or section or partition)	12227	<u>L13</u>
<u>L12</u>	(shared or common) adj4 (region or portion or section or partition)	65094	<u>L12</u>
<u>L11</u>	L10 and l8	4	<u>L11</u>
<u>L10</u>	l3 same processor	51	<u>L10</u>
<u>L9</u>	L8 and l3	7	<u>L9</u>
<u>L8</u>	L7 and l6	500	<u>L8</u>
<u>L7</u>	(partition or partitioned or partitioning).ti,ab.	224228	<u>L7</u>
<u>L6</u>	cache.ti,ab.	40875	<u>L6</u>
<u>L5</u>	L4 and l3	9	<u>L5</u>
<u>L4</u>	(dynamically or (on adj2 fly)) same (changing or altering or alter or change) same (partition or partitioning or allocate or allocation or region)	4258	<u>L4</u>
<u>L3</u>	l1 same l2 same (memory or cache)	153	<u>L3</u>
<u>L2</u>	(shared) adj5 (partition or region or partitioning or partitioned or divide or divided or allocate or allocating or allocation)	7906	<u>L2</u>
<u>L1</u>	(exclusive or dedicated or (non adj shared) or private) adj5 (partition or region or partitioning or partitioned or divide or divided or allocate or allocating or allocation)	6653	<u>L1</u>

END OF SEARCH HISTORY

Ruby Tuesday Restaurant



MENU

LOCATIONS

TO GO

COMMERCIALS

SO CONNECTED

GIFT CARD

OUR STORY



RESTAURANT LOCATOR

Eisenhower Ave

210 SWAMP FOX RD
ALEXANDRIA,
VA 22314
US
Phone: 703-960-1600
Fax: 703-960-5016

 To Go Menu




driving directions

address or intersection

city or town

state zip code

Find



- [↑](#)
- [INVESTORS](#)
- [FRANCHISING](#)
- [CAREERS](#)
- [SITEMAP](#)
- [PRIVACY](#)
- [CONTACT](#)

© 2007 Ruby Tuesday, Inc. All Rights Reserved.


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

(memory or cache) and (partition or partitioning) and (shared)

SEARCH

[Feedback](#) [Report a problem](#) [Satisfaction s](#)

Terms used

memory or cache and partition or partitioning and shared and dedicated or exclusive or private and process

 Sort results by
☒ [Save results to a Binder](#)

 Try an [Advanced Search](#)

 Display results
☒ [Search Tips](#)

 Try this search in [The ACM Guide](#)
☐ Open results in a new window

Results 61 - 80 of 200

 Result page: [previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale [

61 [Energy-aware design of embedded memories: A survey of technologies, architectures, and optimization techniques](#)



Luca Benini, Alberto Macii, Massimo Poncino

 February 2003 **ACM Transactions on Embedded Computing Systems (TECS)**, Volume 2 Issue 1

Publisher: ACM Press

Full text available: pdf(288.44 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Embedded systems are often designed under stringent energy consumption budgets, to limit the generation and battery size. Since memory systems consume a significant amount of energy to read and to forward data, it is then imperative to balance power consumption and performance in memory system design. Contemporary system design focuses on the trade-off between performance and energy consumption in processing and storage units, as well as in their interconnections. Although memory design is as ...

Keywords: Embedded systems, embedded memories, integration, memories, nonvolatile, system-on-a-chip, volatile

62 [Decentralized storage systems: Ivy: a read/write peer-to-peer file system](#)



Athicha Muthitacharoen, Robert Morris, Thomer M. Gil, Benjie Chen

 December 2002 **ACM SIGOPS Operating Systems Review**, Volume 36 Issue SI

Publisher: ACM Press

Full text available: pdf(1.65 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#)

Ivy is a multi-user read/write peer-to-peer file system. Ivy has no centralized or dedicated components, and it provides useful integrity properties without requiring users to fully trust either the underlying peer-to-peer storage system or the other users of the file system. An Ivy file system consists solely of a set of logs, one log per participant. Ivy stores its logs in the DHash distributed hash table. Each participant finds data by consulting all logs, but performs modifications by appending ...


63 [Session 1: Nonatomic mutual exclusion with local spinning](#)



James H. Anderson, Yong-Jik Kim

 July 2002 **Proceedings of the twenty-first annual symposium on Principles of distributed computing PODC '02**

Publisher: ACM Press


Full text available:  [pdf\(1.12 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

We present an N -process local-spin mutual exclusion algorithm, based on nonatomic reads and writes, in which each process performs $\Theta(\log N)$ remote memory references to enter and exit its critical section. No atomic read/write algorithm with better asymptotic worst-case time complexity is currently known. This suggests that atomic memory is *not* fundamentally required if one is interested in worst-case time complexity. The same cannot be said if one is interested in ...

64 The state of the art in locally distributed Web-server systems

 Valeria Cardellini, Emiliano Casalicchio, Michele Colajanni, Philip S. Yu
June 2002 **ACM Computing Surveys (CSUR)**, Volume 34 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(1.41 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The overall increase in traffic on the World Wide Web is augmenting user-perceived response time from popular Web sites, especially in conjunction with special events. System platforms that do replicate information content cannot provide the needed scalability to handle large traffic volume and to match rapid and dramatic changes in the number of clients. The need to improve the performance of Web-based services has produced a variety of novel content delivery architectures. This article w ...

Keywords: Client/server, World Wide Web, cluster-based architectures, dispatching algorithms, distributed systems, load balancing, routing mechanisms

65 On balancing the load in a clustered web farm

 Joel L. Wolf, Philip S. Yu
November 2001 **ACM Transactions on Internet Technology (TOIT)**, Volume 1 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(612.40 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In this article we propose a novel, yet practical, scheme which attempts to optimally balance the load on the servers of a clustered Web farm. The goal in solving this performance problem is to achieve minimal average response time for customer requests, and thus ultimately achieve maximal customer throughput. The article decouples the overall problem into two related but distinct mathematical subproblems, one static and one dynamic. We believe this natural decoupling is one of the major contributions ...

Keywords: Clustered Web farms, combinatorial optimization, load balancing, resource allocation problems

66 Computing curricula 2001

 September 2001 **Journal on Educational Resources in Computing (JERIC)**


Publisher: ACM Press

Full text available:  [pdf\(613.63 KB\)](#)  [html\(2.78 KB\)](#)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

67 Parallel execution of prolog programs: a survey

 Gopal Gupta, Enrico Pontelli, Khayri A.M. Ali, Mats Carlsson, Manuel V. Hermenegildo
July 2001 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 24

Publisher: ACM Press

Full text available:  [pdf\(1.95 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Since the early days of logic programming, researchers in the field realized the potential for exploitation of parallelism present in the execution of logic programs. Their high-level nature, the presence of nondeterminism, and their referential transparency, among other characteristics, make logic programs interesting candidates for obtaining speedups through parallel execution. At the time, the fact that the typical applications of logic programming frequently involve irregular computation ...

Keywords: Automatic parallelization, constraint programming, logic programming, parallelism, prolog

68 Multiplex: unifying conventional and speculative thread-level parallelism on a chip multiprocessor



Chong-Liang Ooi, Seon Wook Kim, Il Park, Rudolf Eigenmann, Babak Falsafi, T. N. Vijaykumar
June 2001 **Proceedings of the 15th international conference on Supercomputing ICS '01**

Publisher: ACM Press

Full text available: [pdf\(155.15 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Recent proposals for Chip Multiprocessors (CMPs) advocate speculative, or implicit, threading in which the hardware employs prediction to peel off instruction sequences (i.e., implicit threads) from the sequential execution stream and speculatively executes them in parallel on multiple processor cores. These proposals augment a conventional multiprocessor, which employs explicit threading with the ability to handle implicit threads. Current proposals focus on only implicitly-threaded cases ...

69 Data and memory optimization techniques for embedded systems



P. R. Panda, F. Catthoor, N. D. Dutt, K. Danckaert, E. Brockmeyer, C. Kulkarni, A. Vandercappelle, Kjeldsberg

April 2001 **ACM Transactions on Design Automation of Electronic Systems (TODAES)**, Volume 6 Issue 2

Publisher: ACM Press

Full text available: [pdf\(339.91 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We present a survey of the state-of-the-art techniques used in performing data and memory-related optimizations in embedded systems. The optimizations are targeted directly or indirectly at the memory subsystem, and impact one or more out of three important cost metrics: area, performance and power dissipation of the resulting implementation. We first examine architecture-independent optimizations in the form of code transformations. We next cover a broad spectrum of optimization techniques ...

Keywords: DRAM, SRAM, address generation, allocation, architecture exploration, code transformation, data cache, data optimization, high-level synthesis, memory architecture customization, memory power dissipation, register file, size estimation, survey

70 Accelerating shared virtual memory via general-purpose network interface support



Angelos Bilas, Dongming Jiang, Jaswinder Pal Singh

February 2001 **ACM Transactions on Computer Systems (TOCS)**, Volume 19 Issue 1

Publisher: ACM Press

Full text available: [pdf\(178.88 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)

Clusters of symmetric multiprocessors (SMPs) are important platforms for high-performance computing. With the success of hardware cache-coherent distributed shared memory (DSM), an effort has also been made to support the coherent shared-address-space programming model in software on clusters. Much research has been done in fast communication on clusters and in protocols for supporting software shared memory across them. However, the performance of software virtual memory (SVM) is still ...

Keywords: applications, clusters, shared virtual memory, system area networks

71 Cache investment: integrating query optimization and distributed data placement



Donald Kossmann, Michael J. Franklin, Gerhard Drasch, Wig Ag

December 2000 **ACM Transactions on Database Systems (TODS)**, Volume 25 Issue 4

Publisher: ACM Press

Full text available: pdf(210.67 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Emerging distributed query-processing systems support flexible execution strategies in which each query can be run using a combination of data shipping and query shipping. As in any distributed environment, these systems can obtain tremendous performance and availability benefits by employing dynamic data caching. When flexible execution and dynamic caching are combined, however, a circular dependency arises: Caching occurs as a by-product of query operator placement but query operator placement ...

Keywords: cache investment, caching, client-server database systems, data shipping, dynamic placement, query optimization, query shipping

72 Parallel shared-memory simulator performance for large ATM networks



Brian Unger, Zhongge Xiao, John Cleary, Jya-Jang Tsai, Carey Williamson

October 2000 **ACM Transactions on Modeling and Computer Simulation (TOMACS)**, Volume 10

Publisher: ACM Press

Full text available: pdf(223.11 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
[review](#)

A performance comparison between an optimistic and a conservative parallel simulation kernel is presented. Performance of the parallel kernels is also compared to a central-event-list sequential kernel. A spectrum of ATM network and traffic scenarios representative of those used by ATM networking researchers are used for the comparison. Experiments are conducted with a cell-level ATM network simulator and an 18-processor SGI PowerChallenge shared-memory multiprocessor. The results ...

Keywords: ATM network modeling, conservative synchronization, optimistic synchronization, parallel discrete event simulation, time warp

73 Comparative study of page-based and segment-based software DSM through compiler optimization



Junpei Niwa, Takashi Matsumoto, Kei Hiraki

May 2000 **Proceedings of the 14th international conference on Supercomputing ICS '00**

Publisher: ACM Press

Full text available: pdf(1.22 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The experimental results clearly show that the performance of ADSM scheme is limited by the communication of unnecessary data, while that of the UDSM scheme is limited by the instrumentation overhead. The UDSM scheme reduces transmission of unnecessary data and automatically prevents the severe false sharing at fetch-on-write, which is the problem in the page-based scheme.

74 Multigrain shared memory



Donald Yeung, John Kubiawicz, Anant Agarwal

May 2000 **ACM Transactions on Computer Systems (TOCS)**, Volume 18 Issue 2

Publisher: ACM Press

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Full text available:  [pdf\(369.18 KB\)](#)[review](#)

Parallel workstations, each comprising tens of processors based on shared memory, promise co-effective scalable multiprocessing. This article explores the coupling of such small- to medium-s shared-memory multiprocessors through software over a local area network to synthesize large shared-memory systems. We call these systems Distributed Shared-memory MultiProcessors (DSMPs). This article introduces the design of a shared-memory system that uses multiple granularities of sharing, ca ...

Keywords: distributed memory, symmetric multiprocessors, system of systems


75 Piranha: a scalable architecture based on single-chip multiprocessing



Luiz André Barroso, Kourosh Gharachorloo, Robert McNamara, Andreas Nowatzky, Shaz Qadeer, B. Sano, Scott Smith, Robert Stets, Ben Verghese

May 2000 **ACM SIGARCH Computer Architecture News , Proceedings of the 27th annual international symposium on Computer architecture ISCA '00**, Volume 28 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(191.10 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The microprocessor industry is currently struggling with higher development costs and longer times that arise from exceedingly complex processors that are pushing the limits of instruction-parallelism. Meanwhile, such designs are especially ill suited for important commercial applications such as on-line transaction processing (OLTP), which suffer from large memory stall times and exhibit little instruction-level parallelism. Given that commercial applications constitute by fa ...

76 System-level power optimization: techniques and tools



Luca Benini, Giovanni de Micheli

April 2000 **ACM Transactions on Design Automation of Electronic Systems (TODAES)**, Volume 2 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(385.22 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This tutorial surveys design methods for energy-efficient system-level design. We consider systems consisting of a hardware platform and software layers. We consider the three major constituents of hardware that consume energy, namely computation, communication, and storage units, and we review methods of reducing their energy consumption. We also study models for analyzing the energy cost of software, and methods for energy-efficient software design and compilation. This survey ...


77 Atomic heap transactions and fine-grain interrupts



Olin Shivers, James W. Clark, Roland McGrath

September 1999 **ACM SIGPLAN Notices , Proceedings of the fourth ACM SIGPLAN international conference on Functional programming ICFP '99**, Volume 34 Issue 9

Publisher: ACM Press

Full text available:  [pdf\(1.45 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Languages such as Java, ML, Scheme, and Haskell provide automatic storage management, the garbage collection. The two fundamental operations performed on a garbage-collected heap are "allocate" and "collect." Because the heap is in an inconsistent state during these operations, they must be performed atomically. Otherwise, a heap client might access the heap during a time when its fundamental invariants do not hold, corrupting the heap. Standard techniques for providing transactional atomicity guarantee ...


78 Ace: a language for parallel programming with customizable protocols



Mukund Raghavachari, Anne Rogers

August 1999 **ACM Transactions on Computer Systems (TOCS)**, Volume 17 Issue 3

Publisher: ACM Press

Full text available:  pdf(297.50 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)

Customizing the protocols that manage accesses to different data structures within an applicati
improve the performance of software shared-memory programs substantially. Existing systems
using customizable protocols are hard to use directly because the mechanisms they provide for
manipulating protocols are low-level ones. This article is an in-depth study of the issues involve
providing language support for application-specific protocols. We describe the design and
implementat ...

Keywords: parallel processing


79 Compile/run-time support for threaded MPI execution on multiprogrammed shared memon machines



Hong Tang, Kai Shen, Tao Yang

May 1999 **ACM SIGPLAN Notices , Proceedings of the seventh ACM SIGPLAN symposium
Principles and practice of parallel programming PPOPP '99**, Volume 34 Issue 8

Publisher: ACM Press

Full text available:  pdf(1.54 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

MPI is a message-passing standard widely used for developing high-performance parallel
applications. Because of the restriction in the MPI computation model, conventional implementa
on shared memory machines map each MPI node to an OS process, which suffers serious
performance degradation in the presence of multiprogramming, especially when a space/time sl
policy is employed in OS job scheduling. In this paper, we study compile-time and run-time sup
for MPI by using threads and dem ...


80 Thread scheduling for out-of-core applications with memory server on multicomputers



Yuan Yuan Zhou, Limin Wang, Douglas W. Clark, Kai Li

May 1999 **Proceedings of the sixth workshop on I/O in parallel and distributed systems
IOPADS '99**

Publisher: ACM Press

Full text available:  pdf(861.70 KB)

Additional Information: [full citation](#), [references](#), [index terms](#)

Results 61 - 80 of 200

Result page: [previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

Searching for **(memory or cache) and (partition or partitioning) and shared and (dedicated or exclusive or private) and processor.**

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)

[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

269 documents found. **Order: number of citations.**

[Shared Memory Consistency Models: A Tutorial - Adve, Gharachorloo \(1995\) \(Correct\) \(163 citations\)](#)

E M B E R 1 9 9 5 WRL Research Report 95/7 **Shared Memory Consistency Models: A Tutorial** Sarita V. Adve
casaturn.kaist.ac.kr/~sikang/course/CS614/AG95.ps.gz

One or more of the query terms is very common - only partial results have been returned. Try [Google \(CiteSeer\)](#).

[The Network Architecture of the Connection Machine CM-5 - Leiserson, Abuhamdeh.. \(1994\) \(Correct\) \(162 citations\)](#)

like many MIMD machines, the CM-5 is a distributed **memory** machine (as opposed to **shared memory** machine [6, 1986. 6] M. Dubois and S. Thakkar, editors. **Cache Architectures in Tightly Coupled Multiprocessors**. errors. The system operates as one or more **user partitions**. Each **partition** consists of a control
www.ifi.uio.no/~oddvar/bib/papers/Lei+92.ps

[The DASH Prototype: Logic Overhead and Performance - Lenoski, Laudon, Joe.. \(1993\) \(Correct\) \(92 citations\)](#)

is that it is feasible to build large-scale **shared-memory** multiprocessors with hardware **cache** coherence.
www-flash.stanford.edu/pub/flash/TPDS93.ps.Z

[Speculative Versioning Cache - Gopal \(1998\) \(Correct\) \(67 citations\)](#)

execution of a sequential program. Such ambiguous **memory** dependences can be overcome by **memory** dependence

Speculative Versioning **Cache** Sridhar Gopal y T.N.Vijaykumar James E.
ftp.cs.wisc.edu/sohi/papers/1998/hpca.svc.ps.gz

[Adaptive Parallelism and Piranha - Carriero, Freeman, Gelernter.. \(1995\) \(Correct\) \(60 citations\)](#)

space is a virtual **shared**, associative, object **memory** accessible to all nodes within a parallel user jobs are statically assigned to some **partition**. But there are problems with this approach. If demands that tend to be imposed at most sites on **shared** resources. Further, cheap hardware, economies of
ftp.cs.yale.edu/WWW/HTML/YALE/CS/Linda/papers/shortp.ps

[Techniques for Reducing Consistency-Related.. - Carter, Bennett.. \(1993\) \(Correct\) \(59 citations\)](#)

Communication in Distributed **Shared Memory** Systems John B. Carter, John K. Bennett and
mancos.cs.utah.edu/papers/munin.ps.Z

[Synthesis and Simulation of Digital Systems.. - Gupta, Coelho, Jr.. \(1992\) \(Correct\) \(55 citations\)](#)

Tasks, And It Is Not Yet An Automated Tool. Asic **Memory** MI Program User Data Interface Buffer description as input. The input system model is **partitioned** into hardware and software components based description as input. The input system model is **partitioned** into hardware and software components based on
akebono.stanford.edu/users/coelho/papers/dac-92.ps.gz

[Converting Thread-Level Parallelism to.. - Lo, Eggers, Emer.. \(1997\) \(Correct\) \(43 citations\)](#)

parallelism or multithreading: interference in the **memory** system and branch prediction hardware. We find threads cause interthread interference in the **caches** and place greater demands on the **memory** system,
www.cs.washington.edu/research/smt/papers/tlp2ilp.final.ps

[Thread Scheduling for Multiprogrammed Multiprocessors - Arora, Blumofe, Plaxton \(1998\) \(Correct\) \(41 citations\)](#)

present a user-level thread scheduler for **shared-memory** multiprocessors, and we analyze its performance in particular those that employ static space **partitioning** [13, 26] or coscheduling [15, 26, 29] they

in particular those that employ static space **partitioning** [13, 26] or coscheduling [15, 26, 29] they do
www.cs.utexas.edu/users/rdb/papers/SPAA98.ps.gz

Dynamic Coscheduling on Workstation Clusters - Patrick Sobalvarro (1998) (Correct) (40 citations)
access to input/output devices ffl coordinated **memory** management ffl efficient parallel computing with
coscheduling and process control (dynamic space-**partitioning**) performed similarly in the experiments
coscheduling and process control (dynamic space-**partitioning**) performed similarly in the experiments
www-csag.ucsd.edu/papers/csag/external/fmdcs-sosp97.ps

Robust Partitioning Policies of Multiprocessor Systems - Rosti, Smirni, Dowdy.. (1993) (Correct) (40 citations)
to the underlying hardware platform. In **shared memory** environments, dynamic schemes may be possible
Robust **Partitioning** Policies of Multiprocessor Systems E.
Robust **Partitioning** Policies of Multiprocessor Systems E. Rosti
www.cs.wm.edu/~esmirni/docs/perfeval.ps.gz

Scheduling Large-Scale Parallel Computations on Networks of.. - Blumofe (1994) (Correct) (34 citations)
following goals: 1. Preserve communications and **memory** locality. 2. Accommodate dynamic parallelism.
the overhead incurred by network communication, **cache** misses, and page faults becomes ever more
its **processors** into a small number of fixedsize **partitions**. Each **partition** is run either in **dedicated**
www.cs.utexas.edu/users/rdb/papers/HPDC94.ps.gz

Paging Tradeoffs in Distributed-Shared-Memory.. - Burger, Hyder, Miller, Wood (1994) (Correct) (33 citations)
Paging Tradeoffs In Distributed-**Shared-Memory** Multiprocessors Douglas C. Burger And Rahmat
ftp.cs.wisc.edu/wwt/jsc96_paging.ps

Coordinated Checkpointing-Rollback Error Recovery for.. - Janakiraman, Tamir (1994) (Correct) (32 citations)
Error Recovery for Distributed **Shared Memory** Multicomputers G. Janakiraman and Yuval Tamir
where **memory** is physically distributed, using **cache** coherency protocols [3, 11, 13]The reliability
tasks simultaneously. Unique task identifiers **partition** the total virtual system space into disjoint
ftp.cs.ucla.edu/tech-report/94-reports/940027.ps.Z

Efficient Support for Multicomputing on ATM Networks - Thekkath, Levy, Lazowska (1993) (Correct) (31 citations)
communication model based on the notion of remote **memory** access. Applications executing on one host can
I/O bus, using network interfaces connected to the **cache** bus instead, as is done in **dedicated**
have favored simpler models that involve **partitioning** data among **processors** and more direct
ftp.cs.washington.edu/tr/1993/04/UW-CSE-93-04-03.PS.Z

Parallel Job Scheduling: Issues and Approaches - Feitelson, Rudolph (1995) (Correct) (26 citations)
of much larger aggregate **cache** capacity, physical **memory** size, and I/O bandwidth. Of course, when an
shorter time, and make use of much larger aggregate **cache** capacity, physical **memory** size, and I/O
are to use a global queue, use variable **partitioning**, use dynamic **partitioning**, and use gang
www.cs.huji.ac.il/~feit/parsched/p-95-1.ps.gz

First 20 documents [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Results
[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((memory or cache) and (partition or partitioning) and (shared) and (dedicated or exclusive or priv..." ☒ e-mail

Your search matched 12 of 1540244 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Other Resources

(Available For Purchase)

Top Book Results

[Performance Modeling for](#)[Computer Architects](#)
 by Krishna, C. M.;
 Paperback, Edition: 1
[View All 1 Result\(s\)](#)[Select All](#) [Deselect All](#)

» Key

 IEEE JNL IEEE Journal or
 Magazine

IET JNL IET Journal or Magazine

 IEEE CNF IEEE Conference
 Proceeding

 IET CNF IET Conference
 Proceeding

IEEE STD IEEE Standard

- ☐ 1. **Customized on-chip memories for embedded chip multiprocessors**
 Ozturk, O.; Kandemir, M.; Chen, G.; Irwin, M.J.; Karakoy, M.;
Design Automation Conference, 2005. Proceedings of the ASP-DAC 2005. Asi
Pacific
 Volume 2, 18-21 Jan. 2005 Page(s):743 - 748 Vol. 2
 Digital Object Identifier 10.1109/ASPDAC.2005.1466448
[AbstractPlus](#) | Full Text: [PDF](#)(381 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **A hierarchical processor scheduling policy for distributed-memory multi systems**
 Dandamudi, S.P.; Thyagaraj, T.K.;
High Performance Computing, 1997. Proceedings. Fourth International Confer
18-21 Dec. 1997 Page(s):218 - 223
 Digital Object Identifier 10.1109/HIPC.1997.634496
[AbstractPlus](#) | Full Text: [PDF](#)(756 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Performance sensitivity of space-sharing processor scheduling in distrib multicomputers**
 Dandamudi, S.P.; Yu, H.;
Parallel Processing Symposium, 1998. 1998 IPPS/SPDP. Proceedings of the f
International...and Symposium on Parallel and Distributed Processing 1998
30 March-3 April 1998 Page(s):403 - 409
 Digital Object Identifier 10.1109/IPPS.1998.669948
[AbstractPlus](#) | Full Text: [PDF](#)(728 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Multi-level on-chip memory hierarchy design for embedded chip multipro**
 Ozturk, O.; Kandemir, M.; Irwin, M.J.; Tosun, S.;
Parallel and Distributed Systems, 2006. ICPADS 2006. 12th International Conf
Volume 1, 12-15 July 2006 Page(s):8 pp.
 Digital Object Identifier 10.1109/ICPADS.2006.66
[AbstractPlus](#) | Full Text: [PDF](#)(368 KB) IEEE CNF
[Rights and Permissions](#)
- 5. **Compositional, efficient caches for a chip multi-processor**

- ☐ Molnos, A.M.; Heijligers, M.J.M.; Cotozana, S.D.; van Eijndhoven, J.T.J.;
Design, Automation and Test in Europe, 2006. DATE '06. Proceedings
Volume 1, 6-10 March 2006 Page(s):1 - 6
[AbstractPlus](#) | Full Text: [PDF](#)(296 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **6. Iteration Partitioning for Resolving Stride Conflicts on Cache-Coherent M**
Karen A. Tomko; Santosh G. Abraham;
Parallel Processing, 1993. ICPP 1993 Volume 2. International Conference on
Volume 2, Aug. 1993 Page(s):95 - 102
Digital Object Identifier 10.1109/ICPP.1993.107
[AbstractPlus](#) | Full Text: [PDF](#)(1499 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **7. A combined method for maintaining large indices in multiprocessor multi environments**
Matsliach, G.; Shmueli, O.;
Knowledge and Data Engineering, IEEE Transactions on
Volume 6, Issue 3, June 1994 Page(s):479 - 496
Digital Object Identifier 10.1109/69.334867
[AbstractPlus](#) | Full Text: [PDF](#)(1608 KB) IEEE JNL
[Rights and Permissions](#)

- ☐ **8. OpenMP Directive Extension for BlackFin 561 Dual Core Processor**
Hee Seo; Seon Wook Kim;
Computer and Information Technology, 2006. CIT '06. The Sixth IEEE Internat on
Sept. 2006 Page(s):49 - 49
Digital Object Identifier 10.1109/CIT.2006.131
[AbstractPlus](#) | Full Text: [PDF](#)(720 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **9. Implementing malleability on MPI jobs**
Utrera, G.; Corbalan, J.; Labarta, J.;
Parallel Architecture and Compilation Techniques, 2004. PACT 2004. Proceed International Conference on
29 Sept.-3 Oct. 2004 Page(s):215 - 224
Digital Object Identifier 10.1109/PACT.2004.1342555
[AbstractPlus](#) | Full Text: [PDF](#)(289 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **10. ETA: experience with an Intel Xeon processor as a packet processing en**
Regnier, G.; Minturn, D.; McAlpine, G.; Saletore, V.A.; Foong, A.;
Micro, IEEE
Volume 24, Issue 1, Jan.-Feb. 2004 Page(s):24 - 31
Digital Object Identifier 10.1109/MM.2004.1268989
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(267 KB) IEEE JNL
[Rights and Permissions](#)

- ☐ **11. Platform-based design from parallel C specifications**
Auge, I.; Petrot, F.; Donnet, F.; Gomez, P.;
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction
Volume 24, Issue 12, Dec. 2005 Page(s):1811 - 1826
Digital Object Identifier 10.1109/TCAD.2005.852431
[AbstractPlus](#) | Full Text: [PDF](#)(816 KB) IEEE JNL
[Rights and Permissions](#)

- ☐ **12. Implementing MPI under AP/Linux**
Sitsky, D.; Mackerras, P.; Tridgell, A.; Walsh, D.;

MPI Developer's Conference, 1996. Proceedings., Second

1-2 July 1996 Page(s):32 - 39

Digital Object Identifier 10.1109/MPIDC.1996.534092

AbstractPlus | Full Text: PDF(536 KB) IEEE CNF

Rights and Permissions

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((memory or cache) and (dynamic or dynamically) and (partition or partitioning or allocate or alloc..."))



Your search matched 111 of 1540244 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

View: 1-25 | 26-5

- ☐ 1. **Data caches in multitasking hard real-time systems**
 Vera, X.; Lisper, B.; Jingling Xue;
[Real-Time Systems Symposium, 2003. RTSS 2003. 24th IEEE](#)
 2003 Page(s):154 - 165
 Digital Object Identifier 10.1109/REAL.2003.1253263
[AbstractPlus](#) | Full Text: [PDF\(364 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **A configurable logic architecture for dynamic hardware/software partition**
 Lysecky, R.; Vahid, F.;
[Design, Automation and Test in Europe Conference and Exhibition, 2004. Proc](#)
 Volume 1, 16-20 Feb. 2004 Page(s):480 - 485 Vol.1
 Digital Object Identifier 10.1109/DATE.2004.1268892
[AbstractPlus](#) | Full Text: [PDF\(243 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Adaptive cache compression for high-performance processors**
 Alameldeen, A.R.; Wood, D.A.;
[Computer Architecture, 2004. Proceedings. 31st Annual International Symposi](#)
 19-23 June 2004 Page(s):212 - 223
 Digital Object Identifier 10.1109/ISCA.2004.1310776
[AbstractPlus](#) | Full Text: [PDF\(324 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Affinity scheduling of unbalanced workloads**
 Subramaniam, S.; Eager, D.L.;
[Supercomputing '94. Proceedings](#)
 14-18 Nov. 1994 Page(s):214 - 226
 Digital Object Identifier 10.1109/SUPERC.1994.344281
[AbstractPlus](#) | Full Text: [PDF\(836 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **A memory-layout oriented run-time technique for locality optimization on**
 Yong Yan; Xiaodong Zhang; Zhao Zhang;
[Parallel Processing, 1998. Proceedings. 1998 International Conference on](#)
 10-14 Aug. 1998 Page(s):189 - 196
 Digital Object Identifier 10.1109/ICPP.1998.708484

[AbstractPlus](#) | Full Text: [PDF\(96 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 6. **On dynamic speculative thread partitioning and the MEM-slicing algorithm**
Codrescu, L.; Wills, D.S.;
[Parallel Architectures and Compilation Techniques, 1999. Proceedings. 1999 International Conference on](#)
12-16 Oct. 1999 Page(s):40 - 46
Digital Object Identifier 10.1109/PACT.1999.807404
[AbstractPlus](#) | Full Text: [PDF\(112 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 7. **Hardware support for real-time embedded multiprocessor system-on-a-chip management**
Shalan, M.; Mooney, V.J., III;
[Hardware/Software Codesign, 2002. CODES 2002. Proceedings of the Tenth International Symposium on](#)
6-8 May 2002 Page(s):79 - 84
Digital Object Identifier 10.1109/CODES.2002.1003605
[AbstractPlus](#) | Full Text: [PDF\(438 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 8. **Dynamic partitioning of processing and memory resources in embedded architectures**
Xue, L.; Ozturk, O.; Li, F.; Kandemir, M.; Kolcu, I.;
[Design, Automation and Test in Europe, 2006. DATE '06. Proceedings](#)
Volume 1, 6-10 March 2006 Page(s):6 pp.
[AbstractPlus](#) | Full Text: [PDF\(184 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 9. **Energy-efficient physically tagged caches for embedded processors with**
Petrov, P.; Tracy, D.; Orailoglu, A.;
[Design Automation Conference, 2005. Proceedings. 42nd](#)
13-17 June 2005 Page(s):17 - 22
[AbstractPlus](#) | Full Text: [PDF\(456 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 10. **Fair cache sharing and partitioning in a chip multiprocessor architecture**
Kim, S.; Chandra, D.; Solihin, Y.;
[Parallel Architecture and Compilation Techniques, 2004. PACT 2004. Proceedings. International Conference on](#)
29 Sept.-3 Oct. 2004 Page(s):111 - 122
Digital Object Identifier 10.1109/PACT.2004.1342546
[AbstractPlus](#) | Full Text: [PDF\(442 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 11. **Dynamic scheduling strategies for shared-memory multiprocessors**
Hamidzadeh, B.; Lilja, D.J.;
[Distributed Computing Systems, 1996. Proceedings of the 16th International Conference on](#)
27-30 May 1996 Page(s):208 - 215
Digital Object Identifier 10.1109/ICDCS.1996.507918
[AbstractPlus](#) | Full Text: [PDF\(764 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 12. **Energy-efficient cache architecture for multimedia applications**
Chia-Lin Yang; Chien-hao Lee; Hung-Wei Tseng;
[Emerging Information Technology Conference, 2005.](#)
15-16 Aug. 2005 Page(s):2 pp.
Digital Object Identifier 10.1109/EITC.2005.1544355

[AbstractPlus](#) | [Full Text: PDF\(104 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **13. A Reconfigurable Cache Architecture for Object-Oriented Embedded Sys**
Modarressi, M.; Hessabi, S.; Goudarzi, M.;
[Electrical and Computer Engineering, Canadian Conference on](#)
May 2006 Page(s):959 - 962
Digital Object Identifier 10.1109/CCECE.2006.277819
[AbstractPlus](#) | [Full Text: PDF\(95 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **14. Performance sensitivity of space-sharing processor scheduling in distrib**
multicomputers
Dandamudi, S.P.; Yu, H.;
[Parallel Processing Symposium, 1998. 1998 IPPS/SPDP. Proceedings of the I](#)
[International...and Symposium on Parallel and Distributed Processing 1998](#)
30 March-3 April 1998 Page(s):403 - 409
Digital Object Identifier 10.1109/IPPS.1998.669948
[AbstractPlus](#) | [Full Text: PDF\(728 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **15. Memory management techniques for time warp on a distributed memory**
Preiss, B.R.; Loucks, W.M.;
[Parallel and Distributed Simulation, 1995. \(PADS'95\). Proceedings., Ninth Wo](#)
[No.95TB8096\)](#)
14-16 June 1995 Page(s):30 - 39
Digital Object Identifier 10.1109/PADS.1995.404319
[AbstractPlus](#) | [Full Text: PDF\(724 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **16. Layout-driven memory synthesis for embedded systems-on-chip**
Benini, L.; Macchiarulo, L.; Macii, A.; Poncino, M.;
[Very Large Scale Integration \(VLSI\) Systems, IEEE Transactions on](#)
Volume 10, Issue 2, April 2002 Page(s):96 - 105
Digital Object Identifier 10.1109/92.994985
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(301 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

- ☐ **17. Custom design of multi-level dynamic memory management subsystem i**
systems
Mamagkakis, S.; Atienza, D.; Poucet, C.; Catthoor, F.; Soudris, D.; Mendias, J
[Signal Processing Systems, 2004. SIPS 2004. IEEE Workshop on](#)
2004 Page(s):170 - 175
Digital Object Identifier 10.1109/SIPS.2004.1363044
[AbstractPlus](#) | [Full Text: PDF\(411 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **18. Hardware-based methods for maintaining cache coherency in a multipro**
Jones, J.; Haggard, R.L.;
[System Theory, 1998. Proceedings of the Thirtieth Southeastern Symposium c](#)
8-10 March 1998 Page(s):549 - 553
Digital Object Identifier 10.1109/SSST.1998.660134
[AbstractPlus](#) | [Full Text: PDF\(524 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **19. Memory-centric architectures: why and perhaps what**
Burger, D.; Goodman, J.R.;
[Innovative Architecture for Future Generation High-Performance Processors a](#)
22-24 Oct. 1997 Page(s):92

Digital Object Identifier 10.1109/IWIA.1997.670413

[AbstractPlus](#) | [Full Text: PDF\(100 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **20. Task Partitioning Oriented Architecture Exploration Method for Dynamic Architectures**
Taniguchi, I.; Ueda, K.; Sakanushi, K.; Takeuchi, Y.; Imai, M.;
[Very Large Scale Integration, 2006 IFIP International Conference on](#)
Oct. 2006 Page(s):290 - 295
Digital Object Identifier 10.1109/VLISOC.2006.313249
[AbstractPlus](#) | [Full Text: PDF\(495 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **21. Microarchitectural wire management for performance and power in partit architectures**
Balasubramonian, R.; Muralimanohar, N.; Ramani, K.; Venkatachalapathy, V.;
[High-Performance Computer Architecture, 2005. HPCA-11. 11th International](#)
12-16 Feb. 2005 Page(s):28 - 39
Digital Object Identifier 10.1109/HPCA.2005.21
[AbstractPlus](#) | [Full Text: PDF\(208 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **22. Reducing transitions on memory buses using sector-based encoding tec**
Aghaghiri, Y.; Fallah, F.; Pedram, M.;
[Low Power Electronics and Design, 2002. ISLPED '02. Proceedings of the 200](#)
[Symposium on](#)
2002 Page(s):190 - 195
[AbstractPlus](#) | [Full Text: PDF\(773 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **23. Software-controlled cache architecture for energy efficiency**
Chia-Lin Yang; Hung-Wei Tseng; Chia-Chiang Ho; Ja-Ling Wu;
[Circuits and Systems for Video Technology, IEEE Transactions on](#)
Volume 15, Issue 5, May 2005 Page(s):634 - 644
Digital Object Identifier 10.1109/TCSVT.2005.846444
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(1040 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

- ☐ **24. From architecture to layout: partitioned memory synthesis for embedded chip**
Benini, L.; Macchiarulo, L.; Macii, A.; Poncino, M.;
[Design Automation Conference, 2001. Proceedings](#)
2001 Page(s):784 - 789
[AbstractPlus](#) | [Full Text: PDF\(636 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **25. Performance analysis and prediction of processor scheduling strategies multiprogrammed shared-memory multiprocessors**
Yue, K.K.; Lilja, D.J.;
[Parallel Processing, 1996., Proceedings of the 1996 International Conference](#)
Volume 3, 12-16 Aug. 1996 Page(s):70 - 78 vol.3
Digital Object Identifier 10.1109/ICPP.1996.538561
[AbstractPlus](#) | [Full Text: PDF\(804 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

View: 1-25 | [26-5](#)



[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE –